



cc/c

Case 7207

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent of
Shigeki NAMIMATSU

:

Patent No. 6,960,450

:

**Attn: CERTIFICATE OF
CORRECTIONS BRANCH**

Issued: November 1, 2005

:

Application No: 10/092,462

:

For: ANTIGEN ACTIVATING METHOD
AND ANTIGEN ACTIVATOR

:

:

STATUS INQUIRY

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:


A Request for Certificate of Correction was filed on
January 10, 2006. A copy is attached together with the date-
stamped receipt card.

It is requested the Office advise applicant as to the
status of the Request. The Certificate of Correction was filed

Patent No. 6,960,450

on January 10, 2006 yet as of the present date applicant has not received a reply.

Respectfully submitted,

Date: OCTOBER 19, 2006 By: 
Michael M. Zadrozny
Reg. No. 30,985

SHLESINGER, ARKWRIGHT & GARVEY, LLP
1420 King Street, Suite 600
Alexandria, Virginia 22314
Ph: (703) 684-5600

ds



Case 7207

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent of
Shigeki NAMIMATSU

:

Patent No. 6,960,450

:

Attn: CERTIFICATE OF
CORRECTIONS BRANCH

Issued: November 1, 2005

:

Application No.: 10/092,462

:

For: ANTIGEN ACTIVATING METHOD
AND ANTIGEN ACTIVATOR

:

COPY

REQUEST FOR CERTIFICATE OF CORRECTION
OF APPLICANT'S MISTAKE

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

In accordance with 37 C.F.R. 1.323, patentee hereby
requests the Director issue a Certificate of Correction pursuant
to 35 U.S.C. Section 255 to correct a mistake in the above-
identified patent incurred through the fault of applicant.

Attached is a Certificate of Correction Form identifying
the error regarding the inventor's address and providing the
correct address.

The inventor's address is incorrect because the address in
the Declaration and Power of Attorney was incorrectly entered by


COPY

applicant. The incorrect address is a mistake of minor character and does not involve changes which would constitute new matter or require re-examination.

Attached is a check in the amount of \$100.00 for the government Certificate of Correction fee. It is believed no additional fee is due with this submission; however, should that be incorrect, please charge to Deposit Account No. 19-2105 and inform the undersigned in due course.

Respectfully submitted,

Date: JANUARY 10, 2006



Michael M. Zadrozny
Reg. No. 30,985

SHLESINGER, ARKWRIGHT & GARVEY, LLP
1420 King Street, Suite 600,
Alexandria, Virginia 22314
(703) 684-5600
mr

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,960,450
APPLICATION NO.: 10/092,462
ISSUE DATE : November 1, 2005
INVENTOR(S) : Shigeki NAMIMATSU

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Coverpage, the inventor's address, "Shinjuku-cho" should read -- Arajuku-machi --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SHLESINGER, ARKWRIGHT & GARVEY LLP
1420 King Street, Suite 600
Alexandria, Virginia 22314

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

COPY



Case 7207

In re U.S. Patent of Shigeki NAMIMATSU

Patent No. 6,960,450

Application No.: 10/092,462

For: ANTIGEN ACTIVATING METHOD AND ANTIGEN ACTIVATOR

INCLUDING: **REQUEST FOR CERTIFICATE OF CORRECTION
OF APPLICANT'S MISTAKE** (2 pgs.);
CERTIFICATE OF CORRECTION FORM (1 pg.); and
Check in the amount of \$100.00.



Please stamp date received and return.

MMZ/mr

MAILROOM

COPY